


Compact NSX400-630
FPower NSX / GV7
Compact NSJ
 Plug-in Base
 Socle débrochable
 Zócalo extraíble



Merlin Gerin
 Schreder
 Idemecanique

Schneider
 Electric

GHD16316AA-03

Schneider Electric Industries SAS
 89, boulevard Franklin Roosevelt
 F-92500 Rueil-Malmaison (France)
 Tel: + 33 (0)1 41 29 85 00
 www.schneider-electric.com



© 2008 Schneider Electric.
 All rights reserved.

IMPORTANT NOTE

■ This device must be installed by a qualified electrician.
 ■ We cannot accept any responsibility for failure to follow the instructions provided in this document.

REMARQUE IMPORTANTE







■ L'installation de cet appareil doit être effectuée par des professionnels de l'électricité.
 ■ Le non-respect des indications de la présente notice ne saurait engager la responsabilité du constructeur.

OBSERVACIÓN IMPORTANTE





■ La instalación y mantenimiento de este aparato sólo debe ser realizado por electricistas profesionales.
 ■ El fabricante no se hace responsable en caso de no cumplir con las indicaciones expuestas en este aviso.


重要注意事項

■ 本装置必须由合格的电工进行安装。
 ■ 我们不承担任何因未遵循本文档中的指南而导致的责任。





GHD16316AA-03








~~ABC~~




37 N.m
327 lb-in




~~ABX~~






37 N.m
327 lb-in




ABC





50 N.m
442 lb-in





C'





20 N.m
177 lb-in




3P





4P





C''



20 N.m
177 lb-in



3P



4P

